


# Grasso V 700

## Specifications

Marque	Grasso
Le type	V 700
Réfrigérant	NH 3 (ammonia)
kW at 0°C/+40°C	549,0*
kW at -10°C/+40°C	367,0* (-10°C/+35°C)
Démarrage à vide	✓
Contrôle de capacité	✓
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Voyant	✓
Panneau de configuration	✓
m <sup>3</sup> / h	636 m <sup>3</sup> /h
Remarques	Y.o.b. 2013
Remarques	* Based on: 0 K subcooling, 2 K superheat (non-useful).
Package / Rack	✓
Tailles	2600x1250x1600 mm (LxWxH)
Stock	1



## Description

### Used Grasso V 700

Used Grasso V 700 Package NH3 (ammonia) on a steel base frame. Complete with a Grasso V 700 reciprocating compressor, Weg 315S/M-06 electric motor - 50/60 Hz - 132 kW - 990/1190 RPM, pressure and safety switches/gauges and a Gea Grasso Maintenance Monitor. The compressor has a displacement of 636 m<sup>3</sup>/h.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. \*If requested we are happy to arrange your shipment.

