

# Bitzer Bitzer 4ESL-9K-40S (x1) & Bitzer 4NESP-20P-40P (x1) Condensing Unit

## Specifications

Marque	Bitzer
Le type	Bitzer 4ESL-9K-40S (x1) & Bitzer 4NESP-20P-40P (x1) Condensing Unit
Réfrigérant	CO2
Refrigerant type	CO2 / Propane
kW at -30°C/+40°C	31,1
Sur le châssis en acier	✓
Manomètres	✓
Voyant	✓
Panneau de configuration	✓
m3 / h	50 Hz - 71,9 m <sup>3</sup> /h
Remarques	Y.o.b. 2014
Remarques	*Capacity based on an evaporating temperature of -37°C
Condensing Unit	✓
Tailles	5150x1310x1610 mm (LxWxH)
Stock	3



## Description

### Used Bitzer Bitzer 4ESL-9K-40S (x1) & Bitzer 4NESP-20P-40P (x1) Condensing Unit

Used Bitzer condensing unit on CO2/Propane. Complete with 1 Bitzer 4ESL-9K-40S (CO2) & 1 Bitzer 4NESP-20P-40P (Propane) semi-hermetic reciprocating compressors, Güntner GVHGX 080.1B/2-LS.E microchannel condenser with 2 Ziehl-Abegg fans - 50 Hz - 670/510 RPM - 0,54/0,28 kW - diameter 800 mm, 2 brazed heat exchangers, pressure and safety gauges and a control cabinet.

The Bitzer 4NESP-20P-40P is on the high pressure side of the system and runs on 0°C/+40°C with a capacity of 39 kW.

The Bitzer 4ESL-9K-40S is on the low pressure side of the system and runs on  $-30^{\circ}\text{C}/0^{\circ}\text{C}$  with a capacity of 31,1 kW.

\*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also arrange the logistics.







