

# Bitzer 4J-22.2Y-40P (x2) & 4VES-10Y-40P (x1)

## Specifications

Marque	Bitzer
Le type	4J-22.2Y-40P (x2) & 4VES-10Y-40P (x1)
Réfrigérant	Freon
kW at 0°C/+40°C	131,7
kW at -5°C/+40°C	108,9
kW at -10°C/+40°C	89,3
kW at -20°C/+40°C	57,6
kW at -30°C/+40°C	34,3
kW at -40°C/+40°C	17,8
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	228
Séparateur d'huile	✓
Système de niveau d'huile	✓
Liquid déshydrateur ligne	✓
Voyant	✓
Electrovanne	✓
m <sup>3</sup> / h	161,7 m <sup>3</sup> /h at 50 Hz & 195,2 m <sup>3</sup> /h at 60 Hz



Remarques	Bitzer 4J-22.2Y-40P (x2) - Y.o.b. 2011 Bitzer 4VES-10Y-40P - Y.o.b. 2020
Package / Rack	✓
Tailles	1100x1000x1910 mm (LxWxH)
Stock	1

## Description

### **Used Bitzer 4J-22.2Y-40P (x2) & 4VES-10Y-40P (x1)**

Used Bitzer 4J-22.2Y-40P (x2) & 4VES-10Y-40P (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with a Bitzer FS2202 liquid receiver with a volume of 228 liter, Henry S-1903-CE oil separator, Henry S-9108U-CE oil reservoir, Alfa Laval CB76-20L brazed heat exchanger and pressure and safety switches/gauges.

\*All components of this used evaporator will be tested on good working, leak free condition (electro engines, coils, bearings). Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also, we can arrange your shipment.





