


# Bitzer 2JME-2KB-40S

## Specifications

|                   |   |
|-------------------|---|
| Marque            | Bitzer  |
| Le type           | 2JME-2KB-40S  |
| Réfrigérant       | CO2   |
| kW at -20°C/+40°C | 10,3*   |
| kW at -30°C/+40°C | 6,6*  |
| kW at -40°C/+40°C | 4,0*  |
| kW at -45°C/+40°C | 3,0*  |
| Voyant            | ✓   |
| m3 / h            | 50 Hz - 3,5 m <sup>3</sup> /h / 60 Hz - 4,2 m <sup>3</sup> /h |
| Remarques         | Y.o.b. 2020   |
| Remarques         | *Capacity based on a condensing temperature: 0°C              |
| Tailles           | 450x320x360 mm (LxWxH)  |
| Stock             | 1   |



## Description

### Used Bitzer 2JME-2KB-40S

Used Bitzer 2JME-2KB-40S semi-hermetic reciprocating compressor on CO2 (R744). The compressor has a displacement of 3,5 m<sup>3</sup>/h at 50 Hz & 4,2 m<sup>3</sup>/h at 60 Hz.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*Optionally we can also perform a new paint job and arrange the logistics.

