

Goedhart DRS 41457

Specifications

La marque	Goedhart
Type	DRS 41457
Capacité kW	4,1
Réfrigérant	Freon
Nombre de ventilateurs	2
Espace Fan in mm	7
Dégivrage	None
Double sortie	✓
m ³ /h	3.470
Tailles	1580x1270x450 mm (LxWxH)
Remarques	Y.o.b. 2010
Volume	8 dm ³
Poids	110 kg
Stock	2



Description

Used Goedhart DRS 41457


Used Goedhart DRS 41457 P double discharge evaporator on NH3. Complete with 1 fan - 0,12/0,15 kW - 750/900 RPM - diameter 450 mm and a total airflow of 3.470 m³/h.

*All components of this used evaporator will be tested on good working, leak free condition (electro engines), coils, bearings. Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



GEA Goedhart B.V.
 Nijverheidsweg 6 4695 RC Sint-Maartensdijk, The Netherlands
 Tel: +31(0)166 665 665 www.goedhart.nl

Man. no.:	PJV102438, VK1002227 / 301044090		
Type:	DRS 41457 P		
Number:	2	of	2
Year:	2010		
Client ref.:	Brink Plumvee		
M.:	110 kg	-	TS: 53/-10 °C
V:	8 dm ³	-	PS: 22 bar
	-	-	PT: 32 bar
Fluid:	NH3 Pump		
Goedhart	Manufactured by GEA Goedhart s.r.o.		



SUD-ELECTRIC

Goedhart project no.:

fan unit:			
CIN 836440		V ± 10%	Hz
KD-045P2-025-BSNBKO		Y	400 50
ID 500916		D	400 50
no. 10/VA-00104400-0120 / 11		3-Mot	S1
mounting B		IP 44	C ₀ μF
Pmax	CE		40+45 °C

