

Bitzer 4DC-7.2Y-40S

Specifications

Marque	Bitzer
Le type	4DC-7.2Y-40S
Réfrigérant	Freon
kW at 0°C/+40°C	21,1
kW at -5°C/+40°C	17,5
kW at -10°C/+40°C	14,4
kW at -20°C/+40°C	9,3
kW at -30°C/+40°C	5,5
kW at -40°C/+40°C	2,8
Démarrage à vide	✓
Sur le châssis en acier	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	39 L
Liquid déshydrateur	✓
ligne	
Voyant	✓
m ³ / h	50 Hz - 26,9 m ³ /h / 60 Hz - 32,4 m ³ /h
Remarques	Y.o.b. 2004
Tailles	1370x600x1730 mm (LxWxH)
Stock	1



Description

Used Bitzer 4DC-7.2Y-40S

Used Bitzer 4DC-7.2Y-40S semi-hermetic reciprocating compressor on Freon. Complete with a Bitzer FS 402 liquid receiver with a volume of 39 liters, liquid line filter drier and a sight glass. The compressor has a displacement of 26,9 m³/h at 50 Hz & 32,4 m³/h at 60 Hz.

*All components of this used evaporator will be tested on good working, leak free condition (electro engines, coils, bearings). Choosing HOSBV means buying with warranty. We perform an industrial cleaning. Also, we can arrange your shipment.





