

# Bitzer 4NES-14Y-40P Condensing unit

## Specifications

Marque	Bitzer
Le type	4NES-14Y-40P Condensing unit
Réfrigérant	Freon
kW at 0°C/+40°C	47,2
kW at -5°C/+40°C	38,8
kW at -10°C/+40°C	31,6
kW at -20°C/+40°C	20,1
kW at -30°C/+40°C	11,9
kW at -40°C/+40°C	6,3
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	30 l
Liquid déshydrateur ligne	✓
Voyant	✓
m3 / h	50 Hz - 56,3 m <sup>3</sup> /h / 60 Hz - 67,9 m <sup>3</sup> /h
Remarques	Y.o.b. 2018
Condensing Unit	✓
Tailles	1900x1250x1000 mm (LxWxH)
Stock	1



## Description

### Used Bitzer 4NES-14Y-40P Condensing unit

Used Bitzer 4NES-14Y-40P condensing unit on Freon. Complete with a Bitzer 4NES-14Y-40P semi-hermetic reciprocating compressor, condenser with 2 Ebm-Papst S3G450-LL03-H7 fans 50/60 Hz - 0,34 kW - 1300 RPM - diameter 450 mm, Bitzer F302H liquid receiver with a volume of 30 liters, pressure safety switches and liquid line filter drier.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*Optional we can also perform a new paint job and arrange the logistics





