

# Norfrig OTU 42 Cooling Container Plug and Play

## Specifications

|                          |   |
|--------------------------|---|
| Marque                   | Norfrig   |
| Le type                  | OTU 42 Cooling<br>Container Plug and Play   |
| Réfrigérant              | Freon   |
| Refrigerant type         | R404A   |
| kW at 0°C/+40°C          | 15,9  |
| kW at -5°C/+40°C         | 13,5  |
| kW at -10°C/+40°C        | 11,3  |
| kW at -20°C/+40°C        | 7,8   |
| kW at -30°C/+40°C        | 5,2   |
| kW at -40°C/+40°C        | 3,3   |
| Démarrage à vide         | ✓   |
| Panneau de configuration | ✓   |
| Remarques                | Y.o.b. 2003   |
| Condensing Unit          | ✓   |
| Tailles                  | Outside dimension:<br>8710x2600x2700 mm<br>(LxWxH)<br>Inside dimension:<br>7000x2480x2270 mm<br>(LxWxH) |
| Stock                    | 1   |



## Description

### Used Norfrig OTU 42 Cooling Container Plug and Play

Norfrig OTU 42 Cooling Container Plug and Play with a capacity of 47kw on R404A. Inner dimensions: 7000x2480x2270 mm (LxWxH). Total container dimension: 8710x2600x2700 mm (LxWxH). Max operating pressure: 35 bar Unit weight: 450 KG Please feel free to contact us for more information!

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.  
\*Optional we can also arrange the logistics.







