

Danfoss OP-UCGC012SCA00G / 114X0340

Specifications

| | |
|----------------------|---|
| Marque | Danfoss |
| Le type | OP-UCGC012SCA00G / 114X0340 |
| Réfrigérant | Freon |
| kW at +10°C/+40°C | 0,97 |
| kW at 0°C/+40°C | 0,69 |
| kW at -5°C/+40°C | 0,57 |
| kW at -10°C/+40°C | 0,46 |
| kW at -20°C/+40°C | 0,28 |
| kW at -30°C/+40°C | 0,15 |
| Réservoir de liquide | ✓ |
| Liquid déshydrateur | ✓ |
| ligne | |
| Remarques | Capacity based on a condensing temperature of 38°C. |
| Weight | 22 |
| Condensing Unit | ✓ |
| Tailles | 530x400x280 mm (LxWxH) |
| Stock | 1 |



Description

Used Danfoss OP-UCGC012SCA00G / 114X0340

Good as new Danfoss OP-UCGC012SCA00G Condensing unit on Freon. Complete with a Secop SC12G reciprocating compressor, condenser with 1 EBM-Papst M4Q045-CA03-47 fan - 50 Hz - 36/10 W - 1300 RPM and a liquid line filter drier. Capacity based on a condensing temperature of 38°C. *Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.



