

Bitzer 8FE-70-40P (x2) Condensing unit

Specifications

Marque	Bitzer
Le type	8FE-70-40P (x2) Condensing unit
Réfrigérant	Freon
kW at 0°C/+40°C	344,2
kW at -5°C/+40°C	286,9
kW at -10°C/+40°C	236,8
kW at -20°C/+40°C	154,8
Contrôle de capacité	✓
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	970
Aspiration d'accumulateur	✓
Séparateur d'huile	✓
Système de niveau d'huile	✓
Electrovanne	✓
Panneau de configuration	✓
m3 / h	442 m ³ /h at 50 Hz & 533,4 m ³ /h at 60 Hz
Condensing Unit	✓



(LxWxH)

Stoeltes

5850x2650x2500 mm

Description

Used Bitzer 8FE-70-40P (x2) Condensing unit

Used Condensing unit on Freon. Complete with 2 Bitzer 8FE-70-40P semi-hermetic reciprocating compressors, Helpman HTC 091.233-V air-cooled condenser, Prevesco 3316950-1 liquid receiver with a volume of 970 liter, oil separator, oil reservoir, suction accumulator and a control cabinet with an Eliwell EWCM900/S controller. The compressors have a total displacement of 442 m³/h at 50 Hz & 533,4 m³/h at 60 Hz.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. *Optionally we can also perform a new paint job and arrange the logistics.









