

Aermec ANL021°A°°°°° (Brand new)

Specifications

Brand	Aermec
Type	ANL021°A°°°°° (Brand new)
Product type	Air Cooled Chiller
Capacité kW	5,7
Capacity Tons	1,6
Réfrigérant	Freon
Refrigerant Type	R410A
Pump	✓
Weight	103
Sizes	1150x420x1010 mm (LxWxH)
Compressor(s) type & model	x1 Copeland ZP24K5E-TFD-522
Display	Aermec display
Number of fans	1
Fan specifications	50 Hz - 840 RPM - 0,12 kW
Remarks	Y.o.b. 2021
Stock	2



Description


Used Aermec ANL021°A°°°°° (Brand new)

Brand new Aermec ANL021°A°°°°° air-cooled chiller on Freon R410A.

Complete with a 1 Copeland ZP24K5E-TFD-522 scroll compressor, condenser with 1 Ebm-papst A6E450-AF13-12 fan - 50 Hz - 0,12 kW - 840 RPM, coaxial evaporator, Wilo 25/9-87/IPWM1 water pump, Zilmet 11A HYDRO-PRO expansion vessel and a control cabinet with a Aermec display.

*All components of this used chiller will be tested on adequate performance, leak free condition (condensing blocks, compressors, fans, control panel and so forth). Choosing HOSBV means buying with warranty. We perform an industrial cleaning. *If requested we are happy to arrange your shipment.



AERMEC Via Roma 996 37040 Bevilacqua (VR) ITALY		ERAC		EUROVENT CERTIFIED PERFORMANCE		CE	
ANL021°A°°°°°				comm/vers 01			
3N~400V 50 Hz		N° 2103006725300002		IP X4		P.date 2021	
30-35 °C		40-45 °C		47-55 °C		12-7 °C	
7/6°C(DB/WB)		7/6°C(DB/WB)		7/6°C(DB/WB)		35 °C	
PH[kW]	0.00	PH[kW]	0.00	PH[kW]	0.00	PC[kW]	5.70
PE[kW]	0.00	PE[kW]	0.00	PE[kW]	0.00	PE[kW]	1.99
COP[W/W]	0.0	COP[W/W]	0.0	COP[W/W]	0.0	EER[W/W]	2.86
In[A]	0.00	In[A]	0.00	In[A]	0.00	In[A]	4.70
RES.EL./EL. HEATER	[kW]	0.00	Is[A]	29	Imax[A]	6.12	
RES.EL./EL. HEIZUNG	[A]	0.00	R410A	[Kg]	1.19		
TS (HP/LP) [°C]		Min -10 / -16		PS (HP/LP) [bar]		42 / 25	
		Max 120 / 52		SW version:		4.4.7	
							
ANL021°A°°°°°-2103006725300002							Made in Italy





