

## Bitzer HSN 7461-70-40P (x2)

### Specifications

Marque	Bitzer
Le type	HSN 7461-70-40P (x2)
Réfrigérant	Freon
kW at -20°C/+40°C	229,6
kW at -30°C/+40°C	157,4
kW at -40°C/+40°C	102,0
kW at -45°C/+40°C	79,8
Démarrage à vide	✓
Contrôle de capacité	✓
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	228
Séparateur d'huile	✓
Voyant	✓
Electrovanne	✓
Panneau de configuration	✓
m3 / h	440 m <sup>3</sup> /h at 50 Hz & 532 m <sup>3</sup> /h at 60 Hz
Remarques	Y.o.b. 2011 (s.nr: 1080601587) & y.o.b. 2004 (s.nr: 1066100769)
Package / Rack	✓



(LxWxH)

Skids

2550x1600x1800 mm

## Description

### Used Bitzer HSN 7461-70-40P (x2)

Used Bitzer HSN 7461-70-40P (x2) semi-hermetic screw compressor skid on Freon. Complete with a Bitzer F2202N liquid receiver with a volume of 228 liter, Bitzer OA4088 oil separator, Vahterus PSHE 3HH-40/1/1 oil cooler, Vahterus PSHE 3HH 60/3/2 as economizer, pressure and safety switches/gauges and a control cabinet with an Eliwell EWCM900/S controller. The compressor skid has a displacement of 440 m<sup>3</sup>/h at 50 Hz & 532 m<sup>3</sup>/h at 60 Hz.

\*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.











