

Bitzer HSN 8571-125-40P (x2)

Specifications

Marque	Bitzer
Le type	HSN 8571-125-40P (x2)
Réfrigérant	Freon
kW at -20°C/+40°C	396,4
kW at -30°C/+40°C	272,6
kW at -40°C/+40°C	178,8
kW at -45°C/+40°C	141,0
Démarrage à vide	✓
Contrôle de capacité	✓
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	473
Séparateur d'huile	✓
Voyant	✓
Electrovanne	✓
Panneau de configuration	✓
m3 / h	820 m ³ /h at 50 Hz & 990 m ³ /h at 60 Hz
Remarques	Y.o.b. 2011
Weight	2500
Package / Rack	✓
Tailles	3610x1700x1950 mm (LxWxH)



Stock

1

Description

Used Bitzer HSN 8571-125-40P (x2)

Used Bitzer HSN 8571-125-40P (x2) semi-hermetic screw compressor skid on Freon. Complete with a Bitzer FS4752 liquid receiver with a volume of 473 liter, Bitzer OA9111 oil separator with a volume of 228 liter, GEA GBS 700M-60 brazed heat exchanger as oil cooler, brazed heat exchanger as economizer, pressure and safety switches/gauges and a control cabinet. The compressors have a total displacement of 820 m³/h at 50 Hz & 990 m³/h at 60 Hz.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.











