

# Bitzer 4CC-6.2Y-40S Water-cooled condensing unit

## Specifications

Marque	Bitzer
Le type	4CC-6.2Y-40S Water-cooled condensing unit
Réfrigérant	Freon
kW at -5°C/+40°C	21,1
kW at -10°C/+40°C	17,4
kW at -20°C/+40°C	11,4
kW at -30°C/+40°C	7,0
kW at -40°C/+40°C	3,8
kW at -45°C/+40°C	2,5
Interrupteurs de sécurité de pression	✓
Liquid déshydrateur ligne	✓
Voyant	✓
m3 / h	32,5
Remarques	Y.o.b. 2004
Weight	118
Condensing Unit	✓
Tailles	1000x400x700 mm (LxWxH)
Stock	4



## Description

### Used Bitzer 4CC-6.2Y-40S Water-cooled condensing unit

Used Bitzer water-cooled condensing unit on Freon. Complete with a Bitzer 4CC-6.2Y-40S semi-hermetic reciprocating compressor, Bitzer K203H shell and tube condenser, pressure and safety switches and a sight glasses. The compressor has a displacement of 32,5 m<sup>3</sup>/h at 50 Hz and 39,2 m<sup>3</sup>/h at 60 Hz.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and deliver after an industrial cleaning. \*If requested we are happy to arrange your logistics



