

# Bitzer 6F 40.2 Y 40P (x1) & 6GE-34Y-40P (x1)

## Specifications

Marque	Bitzer
Le type	6F 40.2 Y 40P (x1) & 6GE-34Y-40P (x1)
Réfrigérant	Freon
kW at -5°C/+40°C	188,8
kW at -10°C/+40°C	156,0
kW at -20°C/+40°C	102,9
kW at -30°C/+40°C	63,6
kW at -40°C/+40°C	35,2
kW at -45°C/+40°C	24,4
Démarrage à vide	✓
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Voyant	✓
m <sup>3</sup> / h	278,6
Remarques	Y.o.b. 2013 (s.nr: 1684613142) & y.o.b. 2010 (s.nr: 267880013)
Tailles	1600x600x850 mm (LxWxH)
Stock	1



## Description

### Used Bitzer 6F 40.2 Y 40P (x1) & 6GE-34Y-40P (x1)

Used Bitzer semi-hermetic reciprocating tandem compressor on Freon. Complete with a Bitzer 6F 40.2 Y 40P (x1) & 6GE-34Y-40P (x1) semi-hermetic reciprocating compressors, 2 Ziehl-Abegg FE031-4DZ.0C.3 fans - 0,12/0,19 kW - 1410/1610 RPM - 50/60 Hz, pressure safety switches and sight glasses. The compressor has a displacement of 278,6 m<sup>3</sup>/h at 50 Hz and 334,9 m<sup>3</sup>/h at 60 Hz.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*If requested we are happy to



Your partner for used commercial and industrial refrigeration equipment

---

arrange your logistics.





