

## Bitzer 66G-60.2 Y / 6GE-34Y-40P (x2)

### Specifications

Marque	Bitzer
Le type	66G-60.2 Y / 6GE-34Y-40P (x2)
Réfrigérant	Freon
kW at -5°C/+40°C	168,0
kW at -10°C/+40°C	138,6
kW at -20°C/+40°C	91,1
kW at -30°C/+40°C	55,8
kW at -40°C/+40°C	30,3
kW at -45°C/+40°C	20,4
Contrôle de capacité	✓
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Voyant	✓
m <sup>3</sup> / h	253,6
Remarques	Y.o.b. 2018 (s.nr: 1694304024)
Weight	491
Tailles	1700x900x700 mm (LxWxH)
Stock	1



### Description

#### Used Bitzer 66G-60.2 Y / 6GE-34Y-40P (x2)

Used Bitzer 66G-60.2 Y semi-hermetic reciprocating tandem compressor on Freon. Complete with a Bitzer 6GE-34Y-40P (x2) semi-hermetic reciprocating compressors, 1 Ziehl-Abegg FN031-4DZ.0C.A7P2 fan - 0,11/0,17 kW - 1420/1690 RPM - 50/60 Hz, 1 Hidria R09R-3132P-4T-3561 fan - 0,10/0,13 kW - 1380/1560 RPM - 50/60 Hz, pressure safety switches and sight glasses. The compressor has a displacement of 253,6 m<sup>3</sup>/h at 50 Hz and 305,8 m<sup>3</sup>/h at 60 Hz.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*If requested we are happy to



Your partner for used commercial and industrial refrigeration equipment

---

arrange your logistics.





