

Güntner GCVC RD 050.3/23-51-6104487M Brand new

Specifications

La marque	Güntner
Le type	GCVC RD 050.3/23-51-6104487M Brand new
Type de produit	Air Cooled Condenser
Capacité kW	121,9
Nombre de ventilateurs	6
RPM de fans	1240
Réfrigérant	Freon
Le débit d'air in m ³ /h	41.400
diamètre fans Ø	500 mm
Surface (m ²)	258,3
Volume du tube	25,1
Tailles	3260x850x1920 mm (LxWxH)
Remarques	Y.o.b. 2024
Stock	1



Description

Used Güntner GCVC RD 050.3/23-51-6104487M Brand new

Brand new Güntner GCVC RD 050.3/23-51-6104487M air-cooled condenser on Freon. Complete with 6 Ziehl-Abegg fans - 50/60 Hz - 0,45/0,47 kW - 1240/1260 RPM - diameter 500 mm and a total airflow of 41.400 m³/h. *All components of this used condenser will be tested on adequate functionality, leak-free condition (electro engines), condensing block, and bearings. Choosing HOSBV means buying with warranty. We perform an industrial cleaning. on demand, we can arrange your shipment.



Güntner GmbH & Co. KG Hans-Güntner-Strasse 2 - 5 62256 Ffrenchfeldbruck www.guenter.de		EAC		Güntner	
Projektnummer - Project number	101227764				
Gerätebezeichnung - Unit name	GCVC RD 060.3/23-51-6104487M				
Gerät Seriennummer - Unit serial number	504339592/34.00115				
Ventilator/Drehzahl/Stromaufn. - Fan/D/Speed/Current	VT01524 / 3616 / 1240 min ⁻¹ / 3.2 A				
Umgebungstemperatur - Ambient air temperature	-30 °C / +50 °C				
Herstellungsjahr - Year of manufacture	2024				
Druckgerät Seriennr. - Pressure equipment serial no.	504339592/34.00115				
Volumen - Volume (V)	25.1 l				
Max. zulässiger Druck (PS) Max. permissible pressure (PS)	32 / 0 bar		0 / -1 bar		
Zulässige min./max. Temperatur (TS) Permissible min./max. temperature (TS)	-50 °C / +100 °C		-50 °C / +40 °C		
Prüfdruck(PT)/Prüfmedium - Test pressure(PT)/Test medium	45.8 bar / Druckluft				
Prüfdatum - Test date	2024-08-22				
Fluidegruppe / Zustand - Group of fluid / State	2 / gasförmig - gaseous				





