


Bitzer 4PCS-15.2Y-40P (x2) / 44PCS-30.2Y-40P

Specifications

Marque	Bitzer
Le type	4PCS-15.2Y-40P (x2) / 44PCS-30.2Y-40P
Réfrigérant	Freon
kW at 0°C/+40°C	80,0
kW at -5°C/+40°C	66,2
kW at -10°C/+40°C	54,2
kW at -20°C/+40°C	34,7
kW at -30°C/+40°C	20,4
kW at -40°C/+40°C	10,0
kW at -45°C/+40°C	6,1
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	56
Aspiration d'accumulateur	✓
Séparateur d'huile	✓
Liquid déshydrateur ligne	✓
Voyant	✓
Panneau de configuration	✓



m3 / h	97 m ³ /h at 50 Hz & 117 m ³ /h at 60 Hz
Remarques	Y.o.b. 2008
Package / Rack	✓
Tailles	1500x900x1800 mm (LxWxH)
Stock	1

Description

Used Bitzer 4PCS-15.2Y-40P (x2) / 44PCS-30.2Y-40P

Used Bitzer 4PCS-15.2Y-40P (x2) / 44PCS-30.2Y-40P semi-hermetic reciprocating tandem compressor on Freon. Complete with a suction accumulator, oil separator, Bitzer F562N liquid receiver with a volume of 56 liter, liquid line filter drier, pressure and safety switches and a control cabinet.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.



