

# Thermofin X-TDH.3-091-24-B-E-WE-BC-02

## Specifications

La marque	Thermofin
Le type	X-TDH.3-091-24-B-E-WE-BC-02
Type de produit	Drycooler
Capacité kW	200,0
Nombre de ventilateurs	8
RPM de fans	410
Réfrigérant	Glycol
Le débit d'air in m <sup>3</sup> /h	82.463
diamètre fans Ø	910 mm
Surface (m <sup>2</sup> )	2212,8
Volume du tube	187,2
Tailles	8300x2300x1900 mm (LxWxH)
Poids	1590
Remarques	Y.o.b. 2018
Stock	1




## Description

### Used Thermofin X-TDH.3-091-24-B-E-WE-BC-02

Used Thermofin X-TDH.3-091-24-B-E-WE-BC-02 drycooler. Complete with 8 Ziehl-Abegg FN091-ZII.DC.V4P3 fans - 50/60 Hz - 0,28 kW - 410 RPM - diameter 910 mm and control panel with a Thermofin K700 controller.  
\*All components of this used condensors will be tested on good working, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



thermofin GmbH Am Windrad 1 D - 08468 Heinsdorfergrund		 <b>thermofin®</b> heat exchangers - GERMANY	
Bezeichnung / modèle	X-TDH.3-091424-B-E-WE-BC-02		
Artikel-Nr / article-n°	EPO 007 507	Geräte-Nr / unit-n°	001
Projekt-Nr / project-n°	50014755 - 010	Betriebsdruck max / working pressure / pression max	PS 10 bar
Fertigungsjahr / prod. year	09/2018	Prüfdruck / test pressure / pression d'épreuve	PT 11 bar
Rohrvolumen / tube volume	187,2 L	Prüfmedium / test medium / fluide d'épreuve	Luft / air
Leergewicht / empty weight	1590,0 kg	Ventilatortemp. / fan temp / plage de temp. d'utilis. des vent.	-35/+60 °C
Mediumtemp. zul. / medium temp. all. / plage de temp. d'utilis. du fluide			
Wasser / water	TS - °C	Ethylenglykol / ethylene glycol	TS -20/+80 (34%) °C
el. Anschlusswerte / connected load / données électriques			
Ventilator(en) / fan(s)	230 V	el. Heizung / el. defrost	- V
Δ / Y	2,28 kW	el. defrost / degivrage el.	- kW



