

Bitzer 4VES-10Y-40P (x1) & 4FE-25Y-40P (x1) Condensing Unit

Specifications

Marque	Bitzer
Le type	4VES-10Y-40P (x1) & 4FE-25Y-40P (x1) Condensing Unit
Réfrigérant	Freon
Refrigerant type	R134a
kW at 0°C/+40°C	70,2
kW at -5°C/+40°C	56,6
kW at -10°C/+40°C	45,0
kW at -20°C/+40°C	27,2
Contrôle de capacité	✓
Interrupteurs de sécurité de pression	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	80
Séparateur d'huile	✓
Système de niveau d'huile	✓
Liquid déshydrateur ligne	✓
Voyant	✓
Panneau de configuration	✓
m3 / h	136,5
Remarques	Y.o.b. 2010



Condensing Unit	✓
Tailles	4100x1300x2200 mm (LxWxH)
Stock	1

Description

Used Bitzer 4VES-10Y-40P (x1) & 4FE-25Y-40P (x1) Condensing Unit

Used Rivacold RV4C0192 condensing unit on Freon. Complete with a Bitzer 4VES-10Y-40P (x1) & 4FE-25Y-40P (x1) semi-hermetic reciprocating compressors, condenser with 3 fans, Frigo Mec 324/1113VK01-FSR liquid receiver, OCS RLTU28 liquid receiver with volume of 27,5 liters, Henry Technologies S-5692 CE oil separator, OCS-08 RLTU8 olie reservoir, pressure and safety switch, 2 Danfoss frequency regulators and a control cabinet with a 2 Danfoss controllers and 2 Danfoss displays. The compressors have a total displacement of 136,5 m³/h at 50 Hz. The capacity is based on the use of Freon type: R134a.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.









