

Bock HGX34e/315-4 Condensing unit

Specifications

Marque	Bock
Le type	HGX34e/315-4 Condensing unit
Réfrigérant	Freon
kW at +10°C/+40°C	28,7 (+7,5°C/+40°C)
kW at 0°C/+40°C	22,0
kW at -5°C/+40°C	17,9
kW at -10°C/+40°C	14,7
kW at -20°C/+40°C	9,4
kW at -30°C/+40°C	5,4
kW at -40°C/+40°C	2,7
kW at -45°C/+40°C	1,7
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	19
Liquid déshydrateur ligne	✓
Voyant	✓
m ³ / h	27,3
Weight	631
Condensing Unit	✓
Tailles	1350x1160x1050 mm (LxWxH)
Stock	1




Description

Used Bock HGX34e/315-4 Condensing unit

Used Bock HGX34e/315-4 condensing unit on Freon. Complete with a Frigomec RV-260X448 liquid receiver with a volume 19 liters, condenser with 1 Ziehl-Abegg ZN050-6IL.0BD.V7P2 fan - 50/60 Hz - 0,36 kW - 1120 RPM - diameter 500 mm, pressure safety switch/gauge and control panel with a Dixell Coolmate controller. The compressor has a displacement of 27,3 m³/h at 50 Hz & 32,8 m³/h at 60 Hz. *Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. *Optionally we can also perform a new paint job and arrange the logistics.





		LEGNAGO VERONA-Italy I-37045 S.p.A. www.frigomec.com		 0036	
Type	RV-260X448				
Manufacture- Nr.	9612801				
Manufacture year	2019				
Fluids Group	2	/	Excluded	/	
Category	II	/	Volume V:L	19	
Temperature TS-°C	-10	120	-50	120	
Max. permissible press.PS-bar	28		21		
Test pressure PT-bar	40.04				

