

Bock HGX4/385-4 S (x1) & HGX5/830-4 S (x1)

Specifications

Marque	Bock
Le type	HGX4/385-4 S (x1) & HGX5/830-4 S (x1)
Réfrigérant	Freon
kW at 0°C/+40°C	84,3
kW at -10°C/+40°C	56,9
kW at -20°C/+40°C	35,9
kW at -30°C/+40°C	20,5
kW at -40°C/+40°C	9,6
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	200
Aspiration d'accumulateur	✓
Séparateur d'huile	✓
Système de niveau d'huile	✓
Liquid déshydrateur ligne	✓
Voyant	✓
m3 / h	105,7
Remarques	Y.o.b. 2001



Package / Rack	✓
Tailles	1800x1100x1800 mm (LxWxH)
Stock	1

Description

Used Bock HGX4/385-4 S (x1) & HGX5/830-4 S (x1)

Used Bock HGX4/385-4 S (x1) & HGX5/830-4 S (x1) semi-hermetic reciprocating Freon compressor rack on a steel base frame. Complete with a Figomec FK 200 liquid receiver with a volume of 200 liters, Frigomec SRO-8.0 liquid receiver, Castel oil separator, suction accumulator, S-9110A oil level regulators, pressure and safety switches/gauges and sight glasses. The compressors have a total displacement of 105,7 m³/h at 50 Hz and 126,9 m³/h at 60 Hz.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. *If requested we are happy to arrange your shipment.









