

Bitzer HSK5363-40-40P

Specifications

Marque	Bitzer
Le type	HSK5363-40-40P
Réfrigérant	Freon
kW at 0°C/+40°C	113,7
kW at -5°C/+40°C	98,3
kW at -10°C/+40°C	84,4
kW at -20°C/+40°C	60,3
Démarrage à vide	✓
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	125
Séparateur d'huile	✓
Liquid déshydrateur	✓
ligne	
Voyant	✓
m ³ / h	118
Remarques	Y.o.b. 2012
Tailles	1800x1150x2000 mm (LxWxH)
Stock	1



Description

Used Bitzer HSK5363-40-40P

Used Bitzer HSK5363-40-40P semi-hermetic screw compressor unit. Complete with a Frigomec FSR 125+2SGR9+SV+R7 liquid receiver with volume of 125 liters, Bitzer OA1954 oil separator, Alfa Laval CB76-30H brazed heat exchanger, pressure and safety switches/gauges, liquid line filter drier and a sight glass. The displacement of the compressor is 118 m³/h at 50 Hz and 142 m³/h at 60 Hz.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning.
*Optionally we can also perform a new paint job and arrange the logistics.





