

Mycom FM160L-L

Specifications

Marque	Mycom
Le type	FM160L-L
Réfrigérant	NH 3 (ammonia)
Électromoteur Specs	50/60 Hz - 132/152 kW - 2975/3570 RPM
Démarrage à vide	✓
Contrôle de capacité	✓
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Séparateur d'huile	✓
Voyant	✓
Panneau de configuration	✓
Remarques	Y.o.b. 2007
Weight	3200 kg
Tailles	3298x1308x1768 mm (LxWxH)
Stock	1



Description

Used Mycom FM160L-L

Used Mycom / Mayekawa FM160L-L screw compressor skid on NH3 (Ammonia). Complete with 2EC 2EC-ODP280M-2 electric motor - 50/60 Hz - 132/152 kW - 2975/3570 RPM, Mycom HS 6023 oil separator with a volume of 700 liter, Mycom OC 15245-V oil cooler, 2 Mayekawa OFC 50 oil filter, pressure and safety switches/gauges and a control cabinet with a Mycom MYPRO-CP3 controller.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.





