

Jaeggi HTK 2.4/6.6-2S-P2-CU-SLNF

Specifications

La marque	Jaeggi
Le type	HTK 2.4/6.6-2S-P2-CU-SLNF
Type de produit	Drycooler
Capacité kW	1256,0
Nombre de ventilateurs	2
RPM de fans	470
Réfrigérant	Glycol
Le débit d'air in m ³ /h	185.033
diamètre fans Ø	1856 mm
Volume du tube	1120 dm ³
Tailles	8300x2500x4000 mm (LxWxH)
Poids	6716 kg
Remarques	Y.o.b. 2014
Remarks	*Capacity based on inlet/outlet temperature: +34°C/+29°C & air inlet: 32°C
Stock	2



Description

Used Jaeggi HTK 2.4/6.6-2S-P2-CU-SLNF

Used Jaeggi HTK 2.4/6.6-2S-P2-CU-SLNF drycooler. Complete with 2 fans that are belt driven by a WEG 3132S-04 electric motor - 50 Hz - 5,5 kW - 1455 RPM. Further the drycooler comes with a control cabinet with 2 Allen-Bradley 22B-D017N104 frequency drives, 2 Allen-Bradley 22A-D2P3N104 frequency drives and a Allen-Bradley controller. *Capacity based on inlet/outlet temperature: +34°C/+29°C & air inlet: 32°C

*All components of this used condensor will be tested on adequate functionality, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform an industrial cleaning. on demand, we can



arrange your shipment.









