

Sabroe SMC108L-HP

Specifications

| | |
|---------------------------------------|---------------------------|
| Marque | Sabroe |
| Le type | SMC108L-HP |
| Réfrigérant | NH 3 (ammonia) |
| Refrigerant type | R717 |
| kW at +10°C/+40°C | 722,4 |
| kW at 0°C/+40°C | 477,8 |
| kW at -5°C/+40°C | 297,1 |
| Électromoteur Specs | 50 Hz - 110 kW - 1475 RPM |
| Démarrage à vide | ✓ |
| Contrôle de capacité | ✓ |
| Sur le châssis en acier | ✓ |
| Interrupteurs de sécurité de pression | ✓ |
| Manomètres | ✓ |
| Séparateur d'huile | ✓ |
| Liquid déshydrateur ligne | ✓ |
| Voyant | ✓ |
| m3 / h | 551,0 |
| Remarques | Y.o.b. 1995 |
| Tailles | 2250x1100x1650 mm (LxWxH) |
| Stock | 1 |



Description

Used Sabroe SMC108L-HP

Used Sabroe SMC108L-HP reciprocating compressor on NH3 (Ammonia). Complete with an Schorch KN7280S-BB01B-401 electric motor - 50/60 Hz - 110/127 kW - 1475/1775 RPM, Seriaco S300/10 oil separator with a volume of 80 liters and pressure and safety switches/gauges. The compressor has a displacement of 551,0 m³/h at 1460 RPM.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. *Optionally we can also perform a new paint job and arrange the logistics.





