


Bitzer HSK6451-50-40P (x2) & HSK5361-40 (x1)

Specifications

Marque	Bitzer
Le type	HSK6451-50-40P (x2) & HSK5361-40 (x1)
Réfrigérant	Freon
kW at 0°C/+40°C	333,1
kW at -5°C/+40°C	274,1
kW at -10°C/+40°C	224,1
kW at -20°C/+40°C	145,0
Démarrage à vide	✓
Contrôle de capacité	✓
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	120
Séparateur d'huile	✓
Liquid déshydrateur	✓
ligne	
Voyant	✓
Electrovanne	✓
Panneau de configuration	✓
m3 / h	50 Hz - 398 m ³ /h & 60 Hz - 478 m ³ /h



Package / Rack	✓
Tailles	3750x1450x2100 mm (LxWxH)
Stock	1

Description

Used Bitzer HSK6451-50-40P (x2) & HSK5361-40 (x1)

Used Bitzer HSK6451-50-40P (x2) & HSK5361-40 (x1) semi-hermetic screw compressor rack on Freon. Complete with Compactos Frigorificos RLV-120 liquid receiver with a volume of 120 liter, Bitzer OA4088 oil separator with a volume of 88 liter, SWEP CB52-30HX oil cooler, pressure and safety switches/gauges and a control cabinet. The compressor has a displacement of 398 m³/h at 50 Hz 478 m³/h at 60 Hz. *Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. *If requested we are happy to arrange your shipment.



