

Güntner GCHC RD 050.2/24-49-4235858M New

Specifications

La marque	Güntner
Le type	GCHC RD 050.2/24-49-4235858M New
Type de produit	Air Cooled Condenser
Capacité kW	225,8*
Nombre de ventilateurs	8
RPM de fans	1390/1180
Réfrigérant	Freon
Le débit d'air in m ³ /h	47.465
diamètre fans Ø	500 mm
Surface (m ²)	722,6
Volume du tube	62,7
Tailles	3950x1720x1300 mm (LxWxH)
Poids	554
Remarques	Y.o.b. 2024
Remarks	*Capacity based on R507A.
Stock	1





Description

Used Güntner GCHC RD 050.2/24-49-4235858M New

New Güntner GCHC RD 050.2/24-49-4235858M air-cooled condenser on Freon. Complete with 8 EBM-Papst S4D500-CM03-09 fans - 50 Hz - 0,72/0,55 kW - 1390/1180 RPM & 60 Hz - 1,06 kW - 1640 RPM - diameter 500 mm and a total airflow of 47.465 m³/h.

*All components of this used condensor will be tested on adequate functionality, leak free condition (electro engines, condensing block, bearings). Choosing HOSBV means buying with warranty. We perform an industrial cleaning. on demand, we can arrange your shipment.



Güntner GmbH & Co. KG Hans-Coblenz-Strasse 2 - 6 82256 Fürstenfeldbruck www.guentner.de					
Projektnummer - Project number	101219237				
Druckgerätebezeichnung - Pressure equipment type	GCHC RD 050 2/24-49-4235858M				
UI Nummer - UI number	4235858				
Seriennummer - Serial number	504317184/06.00439				
Herstellungsjahr - Year of manufacture	2024				
Ventilator/D/Drehzahl/Stromaufn. - Fan/D/Speed/Current	VT03150J / 2348 / 1180 min ⁻¹ / 0.9 A				
Umgebungstemperatur - Ambient air temperature	-30 °C / +60 °C				
Volumen - Volume (V)	62.7 l				
Max. zulässiger Druck (PS)	32 / 0 bar		0 / -1 bar		
Max. permissible pressure (PS)					
Zulässige min./max. Temperatur (TS)	-50 °C / +100 °C		-50 °C / +40 °C		
Permissible min./max. temperature (TS)					
Prüfdruck (PT) / Prüfmedium	35.2 bar / Druckluft - Compressed air				
Test pressure (PT) / Test medium					
Prüfdatum - Test date	2024-02-09				
Fluidgruppe / Zustand - Group of fluid / State	2 / gasförmig - gaseous				





