

Bitzer HSN 7471-75-40P

Specifications

Marque	Bitzer
Le type	HSN 7471-75-40P
Réfrigérant	Freon
Refrigerant type	R404A
kW at -20°C/+40°C	120,3
kW at -30°C/+40°C	82,9
kW at -40°C/+40°C	54,5
kW at -45°C/+40°C	43,0
Démarrage à vide	✓
Contrôle de capacité	✓
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	112
Séparateur d'huile	✓
Liquid déshydrateur	✓
ligne	
Voyant	✓
Electrovanne	✓
m ³ / h	250
Remarques	Y.o.b. 2011
Tailles	1900x1050x2030 mm (LxWxH)
Stock	1



Description

Used Bitzer HSN 7471-75-40P

Used Bitzer HSN7471-75-40P semi-hermetic screw compressor Freon on steel base frame. Complete with Bitzer F1202N liquid receiver, Bitzer OA1954 oil separator, Gea GBS 700M-20 brazed heat exchanger as economizer, Gea GBS 700M-44 brazed heat exchanger for heat recovery, pressure and safety switches/gauges and a liquid line filter drier. The compressor has a displacement of 250 m³/h at 2900 RPM and 300 m³/h at 3500 RPM. The capacities are with a economizer.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.





