

Bitzer 6H.2 (x3)

Specifications

Marque	Bitzer
Le type	6H.2 (x3)
Réfrigérant	Freon
kW at +10°C/+40°C	407,8
kW at 0°C/+40°C	288,9
kW at -5°C/+40°C	240,5
kW at -10°C/+40°C	198,4
kW at -20°C/+40°C	130,6
kW at -30°C/+40°C	80,6
kW at -40°C/+40°C	44,4
Électromoteur Specs	30
Démarrage à vide	✓
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Séparateur d'huile	✓
Remarques	Electromotor: 30 kW at 1485 RPM // Pulley EM: 230 / Comp: 220
Remarques	R404a - R22 or other freon types
Package / Rack	✓
Tailles	3300x1500x1050 mm (LxWxH)
Stock	1



Description

Used Bitzer 6H.2 (x3)

Used Bitzer 6H.2 (x3) freon compressor rack, complete with unloaded start, pressure safety switches, pressure gauges and oil separator. This unit has a cooling capacity of 407,8 kW at +10°C/+40°C.

Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and deliver after an industrial cleaning. *If requested we are happy to arrange your logistics.



