

Copeland CHT-CU-70 SCR Condensing unit

Specifications

Marque	Copeland
Le type	CHT-CU-70 SCR Condensing unit
Réfrigérant	Freon
Refrigerant type	R507A or other types
kW at +10°C/+40°C	27,8
kW at 0°C/+40°C	19,2
kW at -5°C/+40°C	16
kW at -10°C/+40°C	13,1
kW at -20°C/+40°C	8,4
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	22
Liquid déshydrateur ligne	✓
Voyant	✓
Panneau de configuration	✓
Remarques	# // Part of Stocknr: 5223
Condensing Unit	✓
Tailles	2050x700x750 mm (LxWxH)



Stock

1

Description

Used Copeland CHT-CU-70 SCR Condensing unit

Used Frigotronic CHT-CU-70 SCR freon condensing unit, complete with pressure safety switches, liquid line filter drier, sight glass, control panel and liquid receiver with a volume of 22 liters. this unit has a cooling capacity of 27,8 kW at +10°C/+40°C.

Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and deliver after an industrial cleaning. *If requested we are happy to arrange your logistics.

