

Bitzer 4G.2

Specifications

Marque	Bitzer
Le type	4G.2
Réfrigérant	Freon
Refrigerant type	R 404 A or other types
kW at +10°C/+40°C	114*
kW at 0°C/+40°C	87,2
kW at -5°C/+40°C	72,2
kW at -10°C/+40°C	59,2
kW at -20°C/+40°C	38,4
kW at -30°C/+40°C	23,1
kW at -40°C/+40°C	12,5
Électromoteur Specs	15
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	39
Liquid déshydrateur	✓
ligne	
Voyant	✓
Remarques	y.o.b. 2004 // *Capacity based on +7.5°C/+40°C // Electromotor: 15 kW at 1455 RPM // Pulley EM: 180 Comp: 220
Package / Rack	✓



Tailles	1400x1050x1400 mm (LxWxH)
---------	------------------------------

Stock	1
-------	---

Description

Used Bitzer 4G.2

Used Bitzer 4G.2 freon compressor rack, complete with pressure safety switches, pressure gauges, liquid line filter drier, sight glass and liquid receiver with a volume of 39 liters.

Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.



