

Bitzer VII Condensing Unit

Specifications

Marque	Bitzer
Le type	VII Condensing Unit
Réfrigérant	Freon
kW at -5°C/+40°C	33,3*
kW at -10°C/+40°C	24,7
kW at -20°C/+40°C	15,7
kW at -30°C/+40°C	9,3
kW at -40°C/+40°C	4,7
Sur le châssis en acier	✓
Remarques	*Capacity is approx / Based on Compr. Type VIIW at 40°C
Remarques	R404a - R22 or other freon types
Condensing Unit	✓
Tailles	1300x1070x900 mm (LxWxH)
1360	For more information refer to the pdf page 9 of 12
Stock	1






Description

Used Bitzer VII Condensing Unit

Used Bitzer VII (s/n: 267 022) /
42,0-58,0 m3/h / 23,0 bar / 365 - 505
RPM // Electromotor VEM KMER 132 ,
M4 / 5 kW / 220/380 V / 14,35 RPM //
Bitzer F 310 - Volume 30L // 2x Electric
Fans: 1x NICOTRA- 3~ / 60Hz / 400V /
0,86 A. Max / 300W / 1310 RPM // 1x
Copeland 230D/400Y / 3~ 50 / 1.1 /
065A // Pulley size 500mm







Your partner for used commercial and
industrial refrigeration equipment
