


Bitzer 6J-22.2 Y

Specifications




Marque	Bitzer
Le type	6J-22.2 Y
Réfrigérant	Freon
kW at -5°C/+40°C	63,9
kW at -10°C/+40°C	52,6
kW at -20°C/+40°C	34,4
kW at -30°C/+40°C	20,9
kW at -40°C/+40°C	11,2
kW at -45°C/+40°C	7,5
Remarques	Y.O.B. 2003
Remarques	bareshaft compressor
Tailles	1530x1230x1560 mm (LxWxH)
Stock	1



Description

Used Bitzer 6J-22.2 Y

Used Bitzer 6J-22.2 Y compressor(s/n:664802478) / 380-420V / 50Hz / Betr.strom: 39 A / 95,3 m3/h / 1450 RPM // 4x Fans: 2x M.D. Motors MS801-6 / 0,43 kW / 260-292v / 1080 RPM / 2x ACEC - AK63M / 1,25 A / 1320 RPM



Performance Table

Fluorating R22 (kg) Start value 100 Stop value 50
Condensing R22 (kg) Value 40 40 40 40 40 40

Refrigerant	20°C	25°C	30°C	35°C	40°C	45°C
Q (kW)	52563	42006	34380	27102	20902	15841
Q (kW)	52563	42006	34380	27102	20902	15841
P (kW)	21.3	19.43	17.49	15.45	13.34	11.20
Q (kg/h)	36.2	33.9	30.9	27.7	24.8	22.5
Q (kg/h)	73833	62238	51811	42894	34247	26937
COP (-)	2.47	2.20	1.98	1.78	1.61	1.40
Q (kg/h)	1472	1187	945	741	586	433
Q (kg/h)	Standard	Standard	Standard	Standard	Standard	Standard
Q (kg/h)	88.8	88.8	103.5	111.9	121.0	131.1
Q (kg/h)	52563	42006	34380	27102	20902	15841
Q (kg/h)	52563	42006	34380	27102	20902	15841
P (kW)	21.3	19.43	17.49	15.45	13.34	11.20
Q (kg/h)	36.2	33.9	30.9	27.7	24.8	22.5
Q (kg/h)	73833	62238	51811	42894	34247	26937
COP (-)	2.47	2.20	1.98	1.78	1.61	1.40
Q (kg/h)	1472	1187	945	741	586	433
Q (kg/h)	Standard	Standard	Standard	Standard	Standard	Standard
Q (kg/h)	88.8	88.8	103.5	111.9	121.0	131.1

(+31) (0)23-5404237