

York / Frick GSV 64 / TDSH 163 L Screw compressor package

Specifications

Marque	York / Frick
Le type	GSV 64 / TDSH 163 L Screw compressor package
Réfrigérant	NH 3 (ammonia)
kW at -10°C/+40°C	430
Électromoteur Specs	VEM 50Hz 175/132kW 3975RPM
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Séparateur d'huile	✓
Remarques	y.o.b. 2003
Weight	2400 kg
Package / Rack	✓
Tailles	3500x1500x1850 mm
Stock	1



Description


Used York / Frick GSV 64 / TDSH 163 L Screw compressor package


Used York/Gram GSV 64 / TDSH 163 L screw compressor package ammonia. Complete with electromotor VEM type: KPER 315 M2 2975RPM, horizontal oil separator and oil filter. Capacity is based on -9°C/+32°C. Total package build in 1993 with compressor build in 2003.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.







↓				↓			
Verdichter	V1	V2	V3	Motor(en)	VM1	VM2	VM3
Hersteller:	Gram	Gram	Grasso	Hersteller:	VEM	VEM	Schorch
Type:	GSV 64	HC 6100	412 E	Type:	KP ER 315 M2	KP ER 315 M6-L	KN7 280M
Kältemittel:	R 717	R 717	R 717	Leistung:	132 kW	65/80 kW	90 kW
Kälteleistung: Q ₀	430 kW	255 kW	325 kW	Drehzahl:	3000 1/min	1800/1500 1/min	1000 1/min
Baujahr:	2003	1998		Spannung:	400V /50Hz	400V /50Hz	400V /50Hz
				Nennstrom:	 A	 A	169 A
t ₀ :	-9 °C	-9 °C	-9 °C	Schutzart:	 IP	 IP	23 IP
t _c :	+32 °C	+32 °C	+32 °C				
Befr.-Gew.:	 kg	 kg	 kg	Befr.-Gew.:	 kg	 kg	 kg
	1				2		3