

Mycom FM 160S-ME

Specifications

Marque	Mycom
Le type	FM 160S-ME
Réfrigérant	Freon
Refrigerant type	R507A or other types
kW at -10°C/+40°C	246
kW at -20°C/+40°C	163,9
kW at -30°C/+40°C	103,8
kW at -40°C/+40°C	61
Électromoteur Specs	110 kW at 2960 RPM by Leroy Somer
Démarrage à vide	✓
Contrôle de capacité	✓
Sur le châssis en acier	✓
Manomètres	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	465
Aspiration	✓
d'accumulateur	
Séparateur d'huile	✓
Système de niveau	✓
d'huile	
Liquid déshydrateur	✓
ligne	
Electrovanne	✓
Panneau de configuration	✓



Economizer!! / 2x heat exchanger / Oil separator: +/- 1100x600 mm (LxØ) / Control panel: compressor regulation, relais, head switch etc.

Remarks	20051050x1950 mm (LxWxH)
Stock	1

Description

Used Mycom FM 160S-ME

Used Mycom FM 160S-ME freon compressor, complete with unloaded start, capacity control, pressure gauges, suction accumulator, oil separator, oil level system, liquid line filter drier, solenoid valve, control panel and liquid receiver with a volume of 465 liters. This unit has a cooling capacity of 246 kW at -10°C/+40°C.

Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.





