

Bitzer 4DC-7.2Y-40S Condensing unit

Specifications

Merk	Bitzer
Type	4DC-7.2Y-40S Condensing unit
Koudemiddel	Freon
kW at 0°C/+40°C	21,1
kW at -5°C/+40°C	17,5
kW at -10°C/+40°C	14,3
kW at -20°C/+40°C	9,3
kW at -30°C/+40°C	5,5
Onbelaste aanloop	✓
Capaciteits Controle	✓
Op stalen frame	✓
Vloeistof tank	✓
Vloeistof tank ltr.	18 liter
Olie afscheider	✓
Filter droger	✓
Kijk glas	✓
m3 / h	26,84 m ³ /h
Condensing Unit	✓
Afmetingen	1450x810x800 mm (LxWxH)
Stock	1



Description

Used Bitzer 4DC-7.2Y-40S Condensing unit

Gebruikte Bitzer condensing unit compleet met een Bizer 4DC-7.2Y-40S semi-hermetische zuigercompressor, een vloeistofvat van 18 liter, een olieafscheider, vloeistofleiding filterdroger en kijkglazen. De lucht wordt verdeeld door 2 ventilatoren met een diameter van 450 mm en 1500 rpm bij 50 Hz. Het slagvolume van deze condensing unit is 26,84 m³/h.







