

Bitzer HSK 5363-40-40P (x4)

Specifications

Merk	Bitzer
Type	HSK 5363-40-40P (x4)
Koudemiddel	Freon
kW at 0°C/+40°C	386,7
kW at -5°C/+40°C	318,9
kW at -10°C/+40°C	260,5
kW at -20°C/+40°C	168,2
Op stalen frame	✓
Druk veiligheids schakelaars	✓
Manometers	✓
Condensatiedruk switches	✓
Vloeistof tank	✓
Vloeistof tank ltr.	320
Olie afscheider	✓
Filter droger	✓
m3 / h	472,0
Opmerkingen	Please note: we will only offer this as complete cooling solution with capacity matching condensor and evaporators
Package / Rack	✓
Afmetingen	3000x1800x2200 mm (LxWxH)



Stock

1

Description

Used Bitzer HSK 5363-40-40P (x4)

Gebruikt Bitzer HSK 5363-40-40P compressorrek op Freon. Compleet met 4 Bitzer HSK 5363-40-40P semi-hermetische schroefcompressoren, Bitzer FS 3102 vloeistofvat met een inhoud van 320 liter, Bitzer OA 9011 olieafscheider met een inhoud van 228 liter, zuigaccumulatoren, vloeistofleidingfilterdroger en druk- en veiligheidsschakelaars/meters.

Let op: wij bieden dit alleen aan als complete koeloplossing met capaciteit passend bij condensor en verdamper



		Typ HSK 5363-40		S.Nr. 15651789		
		EITZER KÜHLMASCHINENBAU GMBH		15651789		
		Made in E.C.				
Nennspannung V 3Ph~	Frequ. Hz	Betr.strom A (max.)	Anlaufstrom A (Δ)	A (ΔΔ)	Fördervol. m³/h	Drehzahl min⁻¹
400	50	65	109	311	1.5	2900
IP 54 ND/HD max. 19 / 25 bar						
CE						





