

Bitzer 6FE-44Y-40P (x1) & 6F-40.2Y (x2)

Specifications

Merk	Bitzer
Type	6FE-44Y-40P (x1) & 6F-40.2Y (x2)
Koudemiddel	Freon
kW at -5°C/+40°C	307,5
kW at -10°C/+40°C	253,7
kW at -20°C/+40°C	166,6
kW at -30°C/+40°C	102,2
kW at -40°C/+40°C	55,6
kW at -45°C/+40°C	37,7
Op stalen frame	✓
Druk veiligheids schakelaars	✓
Condensatiedruk switches	✓
Vloeistof tank	✓
Olie afscheider	✓
Olie level systeem AC&R	✓
Filter droger	✓
m ³ / h	455,2
Package / Rack	✓
Afmetingen	3750x1600x1720 mm (LxWxH)
Stock	1



Description

Used Bitzer 6FE-44Y-40P (x1) & 6F-40.2Y (x2)

Gebruikt Bitzer semi-hermetisch zuigercompressorrek op Freon. Compleet met 1 Bitzer 6FE-44Y-40P & 2 6F-40.2Y compressoren, Carly TURBOIL-F 15017 S/MMS olieafscheider, Carly HCYR 121 oliereservoir, vloeistofreservoir en druk- en veiligheidsmeters. De compressoren hebben samen een cilinderinhoud van 455,2 m³/h.





