

# Sabroe SAB 202 SF

## Specifications

|                      |                                       |
|----------------------|---------------------------------------|
| Merk                 | Sabroe                                |
| Type                 | SAB 202 SF                            |
| Koudemiddel          | NH 3 (ammonia)                        |
| kW at -10°C/+40°C    | 1123,2                                |
| kW at -20°C/+40°C    | 862,8                                 |
| kW at -30°C/+40°C    | 548,7                                 |
| kW at -40°C/+40°C    | 322,9                                 |
| Elektromotor Specs   | Leroy Somer 50 Hz / 355 kW / 2965 RPM |
| Capaciteits Controle | ✓                                     |
| Olie afscheider      | ✓                                     |
| Kijk glas            | ✓                                     |
| Schakelkast          | ✓                                     |
| m3 / h               | 1.843                                 |
| Opmerkingen          | y.o.b. 2001                           |
| Stock                | 1                                     |



## Description

### Used Sabroe SAB 202 SF

Gebruikte Compressor unit Sabroe SAB 202 SF. Deze compressorunit heeft de volgende componenten: Sabroe SAB 202 SF schroefcompressor direct aangedreven door elektromotor Leroy Somer PLS 315LG2 B3 50 Hz - 355 kW bij 2965 RPM. Olieafscheider Sabroe OHU 4131 610 liter met een shell and tube oliekoeler en pomp. Unisab II controlesysteem monitor. Dit beschermt de compressor en zorgt ervoor dat deze binnen de vooraf bepaalde bedrijfslimieten werkt. Total draaiuren van de compressor: 16.517 uur.









