

Climaveneta NECS/B/S 0604

Specifications

Merk	Climaveneta
Type	NECS/B/S 0604
Product type	Air Cooled Chiller
Capaciteit kW	154,0
Capaciteit Tons	43,8
Koudemiddel	Freon
Koudemiddel Type	R410A
Liquid buffer tank	✓
Pump	✓
Gewicht in kg.	2410
Afmetingen	3200x2220x1850 mm (LxWxH)
Compressor(s) type & model	4x Performer SH184A4ALC
Display	W3000SE Compact
Number of fans	4
Opmerkingen	Y.o.b. 2012
Stock	1




Description

Used Climaveneta NECS/B/S 0604

Gebruikte Climaveneta NECS/B/S 0604 luchtgekoelde chiller op R410A. Compleet met 4 Performer SH184A4ALC scroll compressoren, platenwarmtewisselaar, condensor met 4 ventilatoren met een totaal luchtdebiet van 61.560 m³/h, vloeistofbuffertank, Lowara FHE 50-160/55/P waterpomp met een Lowara PLM112B14S2/355 elektromotor en een W3000SE Compact display.



Type Modello Model	NECS/B/S 0604		Modèle Modelo Typ
Item Articolo Einzelteil	BA827000		Article Artículo Produktkodning
Serial number Matricola unità Seriennummer	32022182		Matricule unité Matricula unidad Seriennummer
Manufact. year Anno di costruz. Baujahr	2012		Année construction Año de construcción Tiliverkningsår
Operating weight Peso in funzionam. Betriebsgewicht	2410 kg		Poids en fonction. Peso en funcionam Driftsvikt
Refrigerant Gas refrigerante Kältemittel	R410A Group 2 97/23/CE		Gaz réfrigérant Gas refrigerante Köldmedium
Refr. charge Carica refrigerante Füllgewicht	2x10,5 kg		Q.té gaz réfrig. Carga refrigerante Köldmediefyllning
Oil type Tipo olio Öltyp	MANEUROP 160SZ		Huile type Tipo aceite Oljetyp
ELECTRICAL SUPPLY			
Voltage	400V/3/50HZ+PE		
F.L.I.	82,5	kW	
F.L.A.	142	A	
MAXIMUM ALLOWABLE PRESSURE (PS)			
Gas circuit	HP=4,5 MPa	LP=2,8 MPa	
Water circuit	0,3 MPa		
Maximum transport and storage temperature: 46 °C			
Contains fluorinated greenhouse gases covered by the Kyoto Protocol.			
Manual n°: 120200356 - NECS/B/S 0604			
Wiring Diagrams: EA827836 rev. 2			
 0948			
			
36061 BASSANO DEL GRAPPA (VI) ITALIA - via SARSON, 67/C Tel. +390424 509500 - Fax +390424 509509 e-mail: Info@climaveneta.it			



