

Bitzer 6F-50.2Y-40P Condensing unit

Specifications

Merk	Bitzer
Type	6F-50.2Y-40P Condensing unit
Koudemiddel	Freon
kW at 0°C/+40°C	121,7
kW at -5°C/+40°C	101,3
kW at -10°C/+40°C	83,6
kW at -20°C/+40°C	55,0
kW at -30°C/+40°C	33,9
kW at -40°C/+40°C	18,6
Vloeistof tank	✓
Vloeistof tank ltr.	79
Kijk glas	✓
Schakelkast	✓
m ³ / h	151,6
Power	50hz/60hz 3Ph
Opmerkingen	Y.o.b. 2005
Condensing Unit	✓
Afmetingen	2300x1240x2620 mm (LxWxH)
Stock	2



Description

Used Bitzer 6F-50.2Y-40P Condensing unit

Gebruikte Bitzer luchtgekoelde condensing unit op Freon. Compleet met 1 Bitzer 6F-50.2Y-40P semi-hermetische zuigercompressor, condensor met 9 Ziehl-Abegg FN050-VDS-4I-V7P1 ventilatoren - 50 Hz - 0,83/0,55 kW - 1330/940 - 1,45 /0,97 A - diameter 500 mm, Bitzer F732N vloeistofvat met een inhoud van 79 liter en een schakelkast met een Danfoss ADAP-KOOL AK2-CC 303A casecontroller. De compressor heeft een cilinderinhoud van 151,6 m³/h.





