

Carrier 30 HXC 345

Specifications

Merk	Carrier
Type	30 HXC 345
Product type	Water Cooled Chiller
Capaciteit kW	1207,0
Capaciteit Tons	343,2
Koudemiddel	Freon
Koudemiddel Type	R134A
Gewicht in kg.	5090
Afmetingen	4700x1100x2200 mm (LxWxH)
Compressor(s) type & model	4x Carlyle screw compressors
Display	Carrier Pro-Dialog Plus
Opmerkingen	Y.o.b. 2009
Stock	1




Description

Used Carrier 30 HXC 345

Gebruikte Carrier 30 HXC 345 watergekoelde chiller op R134A. Compleet met 4 Carlyle / Carrier schroefcompressoren, shell and tube functionerend als verdamper met een watervolume van 208 liter, Carrier 09HX2559-ER shell and tube functionerend als condensor met een watervolume van 251 liter en een Carrier Pro-Dialog Plus.







VARIANTE-VARIANT	09HX2559-ER		CE 0062
MODELE-MODEL	09HX2137DA-216-PEE--		
NUMERO DE SERIE-SERIAL NUMBER	12S905775		
Année de fabrication et date d'essai Year of manufacturing and test date	12/05/2009		
Fluides-Medium	R134a		EAU-WATER
Fluide d'inertage Inerting medium	AZOTE - NITROGEN		
Groupes-Groups		2	
Volumes(V)-Volumes(V)	304.00 / 304.00	*	L 251 L
Press. admissible min/max(PS)-Allowable press.min/max(PS)	-1 / 22	bar	10 bar
Temp. admissible min/max(TS)-Allowable temp. min/max(TS)	-20 / 75	°C	-10 / 75 °C
Pression d'essai(PT)-Test pressure(PT)	31.5	bar	* bar
Poids net - Net weight	1450		Kg
 MANUFACTURED IN FRANCE BY - CARRIER SGS - 01120 MONTLUEL - FRANCE A SUBSIDIARY OF CARRIER CORPORATION, SYRACUSE NEW YORK UNITED STATES OF AMERICA			



