

Bitzer 4DC-5.2Y-40S (x2) & 4DC-7.2Y-40S (x1) & 4J-13.2Y-40P (x1)

Specifications

Merk	Bitzer
Type	4DC-5.2Y-40S (x2) & 4DC-7.2Y-40S (x1) & 4J-13.2Y-40P (x1)
Koudemiddel	Freon
kW at -5°C/+40°C	138,4
kW at -10°C/+40°C	113,9
kW at -20°C/+40°C	74,2
kW at -30°C/+40°C	44,9
kW at -40°C/+40°C	21,8
Op stalen frame	✓
Druk veiligheids schakelaars	✓
Condensatiedruk switches	✓
Suction accumulator	✓
Kijk glas	✓
Magneet Afsluiter	✓
m ³ / h	207,7
Opmerkingen	Y.o.b. 2007
Package / Rack	✓
Afmetingen	2700x1200x2000 mm (LxWxH)
Stock	1



Description

Used Bitzer 4DC-5.2Y-40S (x2) & 4DC-7.2Y-40S (x1) & 4J-13.2Y-40P (x1)

Gebruikte Bitzer 4DC-5.2Y-40S (x2) & 4DC-7.2Y-40S (x1) & 4J-13.2Y-40S semi-hermetische zuigercompressoren op Freon. Compleet met druk- en veiligheidsschakelaars, kijkglas, zuigaccumulator en een versterkte warmtewisselaar. De compressoren hebben een totale verplaatsing van 207,7 m³/h.





