

Grasso M-3 / MB-3BG

Specifications

Merk	Grasso
Type	M-3 / MB-3BG
Koudemiddel	NH 3 (ammonia)
kW at 0°C/+40°C	637,0*
kW at -10°C/+40°C	350,0**
kW at -30°C/+40°C	165,0***
Elektromotor Specs	50 Hz - 132/152 kW - 2970/3570 RPM
Onbelaste aanloop	✓
Capaciteits Controle	✓
Op stalen frame	✓
Olie afscheider	✓
Schakelkast	✓
m ³ / h	690
Opmerkingen	Y.o.b. 2005
Opmerkingen	Capacity based at: *(0°C/+35°C) - **(-15°C/+35°C) - ***(-35°C/+35°C)
Gewicht in kg.	2560
Afmetingen	3050x1200x2200 mm (LxWxH)
Stock	1



Description

Used Grasso M-3 / MB-3BG

Gebruikte Grasso MB-3BG compressor unit op NH₃. Compleet met 1 Grasso M-3 schroefcompressor, Schorch KN7280M-AB01B-Z elektromotor - 50 Hz - 132/152 kW - 2970/3570 RPM, Grasso 250/2000/2 oliekoeler, Grasso DM508 olieafscheider met een inhoud van 275 liter en een Grasso GSC bedieningspaneel. De compressoren hebben een waterverplaatsing van 690 m³/h.









