

Bitzer 4HTC-15K-40P (x2)

Specifications

Merk	Bitzer
Type	4HTC-15K-40P (x2)
Koudemiddel	CO2
Refrigerant type	R744
kW at 0°C/+40°C	59,2
kW at -5°C/+40°C	49,2
kW at -10°C/+40°C	40,3
Op stalen frame	✓
Druk veiligheids schakelaars	✓
Manometers	✓
Condensatiedruk switches	✓
Vloeistof tank	✓
Vloeistof tank ltr.	110
Olie afscheider	✓
Olie level systeem AC&R	✓
Filter droger	✓
Kijk glas	✓
Schakelkast	✓
m3 / h	50 Hz - 24 m³/h / 60 Hz - 29 m³/h
Opmerkingen	Y.o.b. 2017
Package / Rack	✓
Afmetingen	2160x1000x2100 mm (LxWxH)
Stock	1



Description

Used Bitzer 4HTC-15K-40P (x2)

Gebruikt Bitzer 4HTC-15K-40P (x2) semi-hermetisch zuigercompressorrek op CO2 (R744). Compleet met een OCS COLD RLV 110L 0DS28 vloeistofontvanger met een inhoud van 110 liter, olieafscheider, oliereservoir, Danfoss FC-103P15KT4P55 frequentieomvormer, druk- en veiligheidsschakelaars/meters, vloeistofleidingfilterdroger en een schakelkast. De compressoren hebben een totale cilinderinhoud van 24 m³/h bij 50 Hz en 29 m³/h bij 60 Hz.







