

Profroid GQL ZF 40 Condensing unit

Specifications

Merk	Profroid
Type	GQL ZF 40 Condensing unit
Koudemiddel	Freon
kW at 0°C/+40°C	32,1
kW at -5°C/+40°C	26,5
kW at -10°C/+40°C	21,8
kW at -20°C/+40°C	14,3
kW at -30°C/+40°C	9,2
kW at -40°C/+40°C	5,6
Vloeistof tank	✓
Filter droger	✓
Kijk glas	✓
m3 / h	35,3 m³/h at 50 Hz / 42,6 m³/h at 60 Hz
Opmerkingen	Y.o.b. 2008
Condensing Unit	✓
Afmetingen	1230x650x1200 mm (LxWxH)
Stock	1



Description

Used Profroid GQL ZF 40 Condensing unit

Gebruikte Profroid GQL ZF 40 condensorunit op Freon. Compleet met 1 Copeland ZF41K5E-TFD-567 scrollcompressor, condensor met 2 EBM-Papst S6E450-AP02-06 ventilatoren - 50/60 Hz - 0,17/0,23 kW - diameter 450 mm en een vloeistofontvanger. De compressoren hebben een totale cilinderinhoud van 35,3 m³/h bij 50 Hz en 42,6 m³/h bij 60 Hz.





