

Bitzer 6F.2Y (x3)

Specifications

Merk	Bitzer
Type	6F.2Y (x3)
Koudemiddel	Freon
kW at 0°C/+40°C	382,1
kW at -5°C/+40°C	317,2
kW at -10°C/+40°C	260,9
kW at -20°C/+40°C	170,0
kW at -30°C/+40°C	103,2
Onbelaste aanloop	✓
Capaciteits Controle	✓
Op stalen frame	✓
Druk veiligheids schakelaars	✓
Olie afscheider	✓
Olie level systeem AC&R	✓
Filter droger	✓
Kijk glas	✓
Magneet Afsluiter	✓
m3 / h	549,0 at 1750 RPM
Opmerkingen	SN: 2686700069 - Y.o.b. 2014 SN: 1677003437 - Y.o.b. 2009 SN: 1680116087 - Y.o.b. 2011
Package / Rack	✓



	(LxWxH)
Stokkingen	3050x1800x1550 mm

Description

Used Bitzer 6F.2Y (x3)

Gebruikt Bitzer compressorrek op Freon. Compleet met 3 Bitzer 6F.2Y open-type zuigercompressoren, 3 elektromotoren - 50 Hz - 37 kW - 1475 RPM, Euro-Cold SHO-65 olieaafscheider, oliereservoir en een vloeistofleiding filterdrogers. De compressoren hebben een totale cilinderinhoud van 549,0 m³/h bij 1750 tpm.





