

Sabroe SAB 128 HM MK4 auto VI

Specifications

Merk	Sabroe
Type	SAB 128 HM MK4 auto VI
Koudemiddel	NH 3 (ammonia)
kW at +10°C/+40°C	393,5
kW at 0°C/+40°C	272,8
kW at -5°C/+40°C	224,3
kW at -10°C/+40°C	182,6
kW at -20°C/+40°C	116,8
kW at -30°C/+40°C	70,6
kW at -40°C/+40°C	39,3
Capaciteits Controle	✓
Op stalen frame	✓
Olie afscheider	✓
m ³ / h	303 m ³ /h
Opmerkingen	Y.o.b. 2006
Opmerkingen	Please notice that the capacities are based on a bigger electromotor
Afmetingen	2180x1020x1310 mm (LxWxH)
Stock	1



Description

Used Sabroe SAB 128 HM MK4 auto VI

Gebruikte Sabroe SAB 128 HM schroefcompressorunit op NH₃ (Ammoniak). Compleet met Leroy Somer PLS180M-T elektromotor - 50 Hz - 30 kW - 2935 RPM, Sabroe OHU 4119 D olieafscheider met een inhoud van 270 liter, HS Cooler KS12-AEH-822 oliekoeler, oliepomp en een Unisab 2. Capaciteiten zijn gebaseerd op een grotere elektromotor.







