


# Sabroe SMC 116 E

## Specifications

|                              |                           |
|------------------------------|---------------------------|
| Merk                         | Sabroe                    |
| Type                         | SMC 116 E                 |
| Koudemiddel                  | NH 3 (ammonia)            |
| kW at +10°C/+40°C            | 1758,4                    |
| kW at 0°C/+40°C              | 1170,1                    |
| kW at -5°C/+40°C             | 935,0                     |
| kW at -10°C/+40°C            | 734,7                     |
| Elektromotor Specs           | 50 Hz - 315 kW - 1487 RPM |
| Onbelaste aanloop            | ✓                         |
| Capaciteits Controle         | ✓                         |
| Op stalen frame              | ✓                         |
| Druk veiligheids schakelaars | ✓                         |
| Olie afscheider              | ✓                         |
| Kijk glas                    | ✓                         |
| Magneet Afsluiter            | ✓                         |
| m3 / h                       | 1357,0 m³/h               |
| Opmerkingen                  | Y.o.b. 2011               |
| Stock                        | 1                         |



## Description

### Used Sabroe SMC 116 E

Gebruikte Sabroe SMC 116 E zuigercompressorpakket op R717 (Ammoniak). Compleet met een Leroy Somer PLSES315MGU4 B3 elektromotor - 50 Hz - 315 kW - 1487 RPM, Sabroe OVUR 4107 D olieafscheider met een inhoud van 70 liter en een druk- en veiligheidsschakelaar. De compressor heeft een cilinderinhoud van 1357 m³/u.

Dit toestel is onderdeel van de volgende warmtepomp: <https://hosbv.com/product/15418/waterchillers/Sabroe-NS-HPAC-116E108S.html> 15931

